



TOWN OF ESSEX
Office of the Building Official
 Essex Town Hall – 29 West Avenue
 Essex, Connecticut 06426
 860-767-4340 ext. 117
 Email:ddeleeuw@essexct.gov

Required Window Replacement worksheet

Yes/No/NA

Are you replacing **bedroom** windows? _____
 If yes, when complete will every bedroom have at least one opening to the outside of at least 5.7 sq. ft. including 20” minimum width and 24” minimum height? _____
 (Note: for replacement windows this opening may be achieved by removable sash). _____

Are you replacing **bathroom** windows? _____
 If yes, will all glass installed within a tub or shower area be safety glazing? _____
 Will all glass installed within 60” in a straight line from the waters edge of a tub, whirlpool, sauna, steam room or shower be safety glazing? _____

Are you replacing windows in the vicinity of a **stairway**? _____
 If yes, will all glass within 36” vertically of all stairs and landings be safety glazed? _____
 Will all glass adjacent to and within 60” in any direction from the bottom tread of a stair be safety glazed? _____

Are you replacing windows adjacent to exterior swinging or sliding **doors**? _____
 If yes, will all glass installed within 24” of these doors be safety glazed? _____

Are you replacing windows within 18” of the **floor**? _____
 Will all individual panes larger than 9 sq. ft. this close to the floor be safety glazed? _____

Are you replacing windows with a sill height of less than 24” above the **floor**? _____
 If yes, and the window opening is more than 72” above finished grade outside will every such window be provided with opening limiting devices? _____

This worksheet is intended as a guide to assist the Building Official in determining code compliance. These questions and answers are not a comprehensive substitution for all window code requirements. The Building Official will expect the final installation to be consistent with the answers provided on this worksheet. The applicant is required to sign and date below.

Applicant: _____

Date: _____