HARDSCAPE MATERIALS

- All stepping stone paths, seaside patio and master bedroom patio: CT granite natural cut stepping stones

- Pool patio: rectangular cut bluestone, dry laid.
- Pool coping: rectangular cut bluestone
- Steps to pool patio and edging: CT granite

- CT stepping stone joints (incld. paths and patios) to be seeded with thyme and grass

- Walls: dry laid CT stone
- Driveway: permeable concrete with stone edging

GRANITE STEP



RECTANGULAR CUT BLUESTONE



PERMEABLE CONCRETE



CT STEPPING STONES





GRASS & THYME JOINTS



HEINER RESIDENCE

17 Mack Lane, Essex, CT ELIZABETH HALLEY LANDSCAPE DESIGN

Dec. 12, 2020

CT STONE, DRY LAID





LIGHTING

- Subtle lighting to be used for the purpose of safety along paths, and steps.

- Light switches to be located at back porch and seaside patio.



PATH LIGHT - DOME



WALL & DECK LIGHT - HALF MOON

HEINER RESIDENCE

17 Mack Lane, Essex, CT ELIZABETH HALLEY LANDSCAPE DESIGN

SPECIFICATIONS

Certifications/Qualif	ications	
Prop65	Yes	
	www.kichler.com/warranty	
Dimensions		
Height	22.50"	
Length Width	22.50" 8.25"	
WIGCH	0.20	
Electrical		
Input Voltage Operating Voltage Range	Dual (120/140)V 9-15 VAC	
Voltage	12V	
Light Source		
Delivered Lumens Lamp Included Lamp Type Light Source Max or Nominal Watt # of Bulbs/LED Modules Volt-Amperes (VA) Mounting/Installatio Connector Location Rating Wire Connectors	250 Integrated LED LED 3.00 8 4.50 n Yes Wet Wire Nuts	
Photometrics		
Color Rendering Index Delivered Efficacy (Lumens/Watt) Kelvin Temperature	80 83 3000K	
FIXTURE ATTRIBUTE	S	
Housing		

Housing		
Primary Material	BRASS	
Product/Ordering Information		

SKU	15810CBR30
Finish	Centennial Brass
UPC	783927577045

Finish Options

Centennial Brass

ALSO IN THIS FAMILY

SPECIFICATIONS Cer

Certifications/Qualifications		
Prop65	Yes	
	www.kichl	
Dimensions		
Height	3.50"	
Length	3.50"	
Width	2.00"	
Electrical		
Operating Voltage Range	12 VAC	
Voltage	12V	
Light Source		
Lamp Included	Not Inc	
LampType	T5 WED	
Light Source	Incande	
Max or Nominal Watt	1.00	

Mounting/Installation Wet

Location Rating

FIXTURE ATTRIBUTES

Housing	
Primary Material	BRAS

Product/Ordering Information		
SKU	15477C	
Finish	Center	
UPC	783927	

Finish Options



Dec. 12, 2020

ler.com/warranty

cluded DGE descent



ALSO IN THIS FAMILY

١SS

BR nnial Brass 783927466363

FENCING

- Fence and two gates off north and south of house to be cedar with 3/4" chicken wire

- Fence along south side of property to be natural cedar posts (harvested in NY state) with 3/4'' chicken wire

- All fences to be 4' in height

- All fence panels to meet pool-grade fence standards



CEDAR

NATURAL NY HARVESTED CEDAR



HEINER RESIDENCE




PLANTING

- Meadow area along perimeter of back garden: to be kept unmown, meadow grass and wildflowers. To be kept under 3' in height.

- Perennial garden beds: to mimic the meadow, using ornamental grasses, naturalized perennials, and boxwood







30 6

SCREENING HEDGE AROUND POOL UTILITIES

8'

TREES ALONG PERIMETER

1.5 1.5

MEADOW

- S
- - - S










HEINER RESIDENCE 17 Mack Lane, Essex, CT ELIZABETH HALLEY LANDSCAPE DESIGN

Dec. 12, 2020

Size	Botantical Name	Common Name
30"-36"	Clethra alnifolia	Sweet Pepperbush
7 gal	Myrica pensylvanica	Northern Bayberry
6 QT	Ptelea trifoliata	Hoptree
3-4'	Viburnum dentatum	Arrowwood
8'-10'	Fagus grandifolia	North American Beech
1.5" cal.	Acer rubrum	Red Maple
7-8'	Amelanchier laevis	Allegheny Serviceberry
6-7'	Chionanthus virginicus	Fringetree
1.5" cal.	Liriodendron tulipifera	Tulip Tree
6-7'	Malus domestica 'Honeycrisp'	Semi-Dwarf Apple
1.5" cal.	Quercus alba	White Oak
LP	Deschampsia flexuosa	Wavy Hair Grass
seed	Festuca pratensis	Meadow Fescue
seed	Hierochloe odorata	Sweetgrass
I QT	Symphyotrichum ericoides	Heath Aster
I QT	Symphyotrichum pilosum	Frost Aster
seed	Trifolium repens	White Clover
6 QT	Rosa caroliniana	Carolina Rose





HEINER RESIDENCE 17 Mack Lane, Essex, CT ELIZABETH HALLEY LANDSCAPE DESIGN

Dec. 12, 2020