# Town of Essex Inland Wetlands and Watercourses Commission Revised 4/6/2022

Application # $\frac{23-07}{}$ Date received by Office $\frac{5}{30}$ Fee $\frac{4}{130}$
Owner of Record CARTER 9 CARLA GOWRIE
Home Address 1 TEAL LANE, ESSEK CT DW126
Mailing Address: SAME
Phone: Home/Cell 200217-7603 Work:
Applicant's Name: ROBERT SHICKEL
Home Address 42 BOOK HILL BOAD, RESER, CT 06426
Mailing Address: Po Box 840, ESSEX, CT 06426
Phone: Home/Cell 860-304-6045 Work: SAME
Email: EIQILLC @ ADL & COM
Applicant's interest in the land if the applicant is not the property owner
LONSULTANT/AGENT
Location of Property by Street & Village Address: 1 TEAL LANE, IESSEL, CT
Map 31 20 Lot 5 Lot Size 0,94 Ac District VR
Check applicable activities occurring in or within 100 feet of wetlands and/or watercourses:
Construction of a structure(s)  Other site development work  Deposition or removal of material  Stream altering/channelization  Subdivision/Resubdivision  Discharge  Pond creation/dredging  Tree removal  Dam maintenance  Other
Nature of Request: Explain in detail the extent of any activity checked above, the type of material, and the equipment to be used to complete project. (Use additional sheets if necessary.)  CONSTRUCTION OF A TIMERLY PILE RAMP CONNECTING AN LIPLANTO EMBANKMENT LABOVE WELLHOS) TO A DEEP REAMILYTEN DOCK MID THICKURD A PER PRODUCTION MATERIALS FIN LOXIE PILES, PTW ARAIMAL MINISTER AND THICK THEN DECKING; ERU PIMENT A TRACKED RECENTABLE TO BE DELVING THAT MANNEL LABOUR SHAID TO OKS
Estimated length of time for project: 7 to 10 DAMS, CANTINGENT DIV WEATHER
Note:  1) TO BE ACCEPTED BY THE LAND USE OFFICE. THIS APPLICATION MUST BE COMPLETED, SIGNED, AND SUBMITTED WITH THE REQUIRED FEE(S) AND MAP(S) PREPARED IN ACCORDANCE WITH THE APPLICABLE REGULATIONS.  2) THE SUBMITTAL OF THIS APPLICATION CONSTITUTES THE PROPERTY OWNER'S PERMISSION FOR THE COMMISSION OR ITS STAFF TO ENTER THE PROPERTY FOR THE PURPOSE OF INSPECTION.
3) I HERBY AGREE TO PAY ALL ADDITIONAL FEES AND/OR ADDRESS SUCH COSTS DEEMED NECESSARY BY THE LAND USE OFFICE AS DESCRIBED IN PART THREE OF THIS

APPLICATION.

Explain what alternatives have been considered in connection with this application to avoid altering inland wetlands and/or watercourses?  12EKINA THORUGH THE FALLAGINITES TO THE DUCK APPLOX GU, THIS
PLICILNATIVE WOULD BE ATNIEDSE TO THE WETLANDS
ACTIVITY LOCATION (Map with sufficient detail must be submitted as a part of the application)
Approximate number of acres of wetlands (or portion thereof) on the property: 0.25 AC
Approximate area of inland wetlands to be altered: NUNE
Approximate length of watercourse(s) on the property: NONE
Approximate length of watercourse(s) to be altered:
Approximate number of acres of upland review area on the property: D. 25 AL
Approximate area of upland review area to be altered: NONE
If known, are vernal pools or tidal wetlands located on the property? NONE TWO VED
If yes, where and how many acres (or portion thereof) on the property?
TIDEL WETLANDS & YWACRE ALONG NORTH COVE
Is property located within a Special Flood Hazard Area? UES HULD ZONE ALE
If yes, where and how many acres (or portion thereof) on the property? D. 35 AC
LOCATION 15 ANJACENT THE WISTELL SHOWE OF NORTH COVE.
Has the property been flagged by a licensed soil scientist UES
If yes, by who, and when? RICHARD SNAUSKI, REPORT DATE 3-9-2020
7, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,
Will there be water discharge into wetlands?
Discharge - Specify Type
Please complete the attached State Reporting Form

ADDITIONAL INFORMATION MAY BE REQUIRED DEPENDING UPON THE COMPLEXITY OF THE PROJECT.

Essex Inland Wetlands and Watercourses Commission Application

Page 3 of 5

### State the names of all property owners adjacent to the subject property:

Name of Adjacent Property Owner	Street Address (include Mailing Address if Different							
HORTHORM : RESELT + SAIDHA DALIETTE	3/EAL LANE, ESSEL CTULU26							
SOHARUM: TOWN OF RESER	29 WEST AVE, RESSEX, CT OLLIZE							
	, , , , , , , , , , , , , , , , , , , ,							

For large properties, please attach another sheet if necessary.

### **CERTIFICATION:**

The applicant understands that this application is to be considered complete only when all information and documents required by the Commission have been submitted. The undersigned warrants the truth of all statements contained herein and in all supporting documents according to the best of his/her knowledge and belief. Permission is granted to the Town of Essex Inland Wetlands and Watercourses Commission and its agent(s) to walk the land, at reasonable times, and perform those tests necessary to property review the application, both before and after a final decision has been issued.

Applicant's Signature_	Cleunty	W.	Date <u> うっとんっ</u> ;	2023
Owner's Signature	eta Genne	Date	5-26-2023	· · · · · · · · · · · · · · · · · · ·
Commission Action	Approved	Den	ied	Date
Agent Action	Approved	Den	ied	Date

Essex Inland Wetlands and Watercourses Commission Application

Page 4 of 5

# Town of Essex GIS Map: Gowrie Site, 1 Teal Lane Essex, CT



\pplicant:	Applicant: Carter Gowrie			
ocation:	Location: 1 Teal Lane, Essex, CT 06426	ex, CT 06426	:0000	Obourn
Date:	April 1, 2023	Datum: None	ocale.	TIMOLIO SY
repared b	Prepared by: Rob Shickel	Revisions:	Map:	1 of 1
repared b	y: Rob Shickel	Revisions:	Map:	

① ③ 三 ☐ Other Bookmarks	ď	up 👺 Abutters																				
<b>○</b>	Property Quick Search	emes / Markup																				41,355043,-72,389916 Terms of Use Report a map error
->I 	B Print Prope	ection Themes																				
	Share D	Q. Search === Selection														)			1			Map data ©2021 Google 100 ft L
	O Zoom To	O Se							1			T										Map data ©202
Q, Search	0				1			ENT		1	1	20-2A	2		1	isi		-	12			
<b>₹</b> 3					1.14	\ 4	20-6	NAMES	20.5	20:5	1	è	5.0			S lloon	Bushing			24		
354816 ··· (		Sept M.			25		m	-					7	7 Jea	)1	J	1		7-1 20 015			
O&Jating=413		1		1		000	920-6	1		1	\	9	20:4		14			7	0.36	9.0	1	011
rsDistance=10 Zooming in to		0.29	20 19	UT UOS	Dicking	a	20.02	0.81				20-3	69:00		1	oushnell St	notalil	N. S.	16 2 2		15-17	0.23 00 115G
perties?abutte GIS Data	1	18			7	4	20.1	0.92		Part of the same o	200	0.82	The state of the s			Sing			10	8 2	A Company	ORIG
o/datasets/pro		1 2 3 4 2 3 4 2 3 4 3 4 3 4 3 4 3 4 3 4 3	0 0	19:1	1000	Dickinson Ln		<u>G</u>	1 Mai	in St		. 0			Bushnell St	S uie	e		7 118	7117	1	्य विद्वा । विद्वा
exct.mapgeo.ī		5 +	1	Main S		3	回	0.32	39	1		0.07	22	0.41			0.15	7	7	50:02	, 66 50 50 50 50 50 50 50 50 50 50 50 50 50	15 u
ex Cl X T		×	9 Zoom							<				ELLC	EX, CT 06426				2019-04-03		•	
TEAL DATION OF ESSECTION OF			rections	View Details		ard					1 TEAL LA	31-020-05		GOWRIE OFFICE LLC	1 TEAL LA ESSEX, CT 06426		\$1,014,200	\$723,000	\$1,675,000 on 2019-04-03	328/0099		VR
Apple	Town of Essex, CT	1 TEAL LA	ക്ക് Google Directions		Google Maps Link	Property Record Card	Town of Essex	Tax Assessor Map		Property	Address		Ownership	Name	Address	Valuation	Total	Land	Last Sale	Book/Page	Land	

Google Earth Photo: Gowrie Site, 1 Teal Lane, Essex



pplicant:	Applicant: Carter Gowrie			
ocation:	.ocation: 1 Teal Lane, Essex, CT 06426	ex, CT 06426	Crale.	As Shown
Date:	April 1, 2023	Datum: None	3	
repared by	Prepared by: Rob Shickel	Revisions:	Photo:	1 of 3

### Robert J. Shickel - Marine Consultant

PO Box 846, Essex, Connecticut 06426 • Phone: 860-767-2269 • Email: eigillc@aol.com

Site Photo of Existing Conditions on 5-21-2023: DEEP Permitted Dock at 1 Teal Lane, Essex, CT

Photo 2 of 3



View looking northerly over the wetlands (center) to the DEEP permitted dock and the location of the proposed ramp(left): from the end of the dock, through the existing phragmites to the upland embankment, a distance of approximately 53'. Please see Plan Sheets 1 of 2 and 2 of 2.

## Robert J. Shickel - Marine Consultant


PO Box 846, Essex, Connecticut 06426 • Phone: 860-767-2269 • Email: eigillc@aol.com

Site Photo of Existing Conditions on 5-21-2023: DEEP Permitted Dock at 1 Teal Lane, Essex, CT

Photo 3 of 3



View looking northerly over the wetlands (center) and the landward end of the DEEP permitted dock to the location of the proposed ramp: from the end of the dock, through the existing phragmites to the upland embankment, a distance of approximately 53'. Please see Plan Sheets 1 of 2 and 2 of 2.



### **GENERAL NOTES:**

- THIS PLAN WAS COMPILED USING THE FOLLOWING REFERENCE INFORMATION:

  A) A CLASS A-2 SURVEY MAP ENTITLED "TOPOGRAPHIC SURVEY, OF 1 TEAL LANE, ESSEX, CONNECTICUT, PREPARED FOR BOOGRAFT CONSTRUCTION CO, INC.", SCALE: 1"=10", DATED: FEBRUARY 21, 2021, PREPARED BY GESICK & ASSOCIATES, P.C.
- ARCHITECTURAL PLANS ENTITLED "COWRIE RESIDENCE, ONE TEAL LANE, ESSEX, CT 06426" DATED WARCH 1, 2021 WITH REVISIONS THROUGH JUNE 9, 2021, PREPARED BY TOTAL DESIGN SOURCE, LLC.
- C) SEPTIC AS-BUILT INFORMATION
- THE PROPERTY OWNER IS GOWRIE OFFICE LLC OF 1 TEAL LANE, ESSEX, CT 06426. THE SUBJECT PARCEL IS CENTRIFIED AS LOT 5 BLOCK 20 ON TAX ASSESSOR'S MAP 31. THE DEED REFERENCE OF THE PROPERTY IS VOLUME 328 PAGE 99. THE AREA OF THE PARCEL IS 39,719.87± S.F. OR 0.91 ACRES.
- THE SUBJECT PROPERTY IS LOCATED WITHIN THE VILLAGE RESIDENCE DISTRICT VR' ZONING DISTRICT. THE PURCEL LIES WITHIN TEUA FLOOD HAZARD ZONE AE (EL 10) AND THE ESSEX FLOOD GENEVATION TO 'I (MAVD-88), ALL BUILDINGS ARE OUTSIDE OF A REGULATED FLOOD ZONE.
- BUILDINGS ARE OUTSIDE OF A REGULARIE FLOOD ZONE.

  THE APPLICANT IS PROPOSING TO CONMERT EXISTING NORTHERN OUTBUILDING FROM AN EXISTING GRANGE TO A GRANGE WITH AN OFFICE AND A FULL BATHROOM AND CONNECT IT TO THE EXISTING SEPTIC TANK AND SEPTIC SYSTEM.
- THE PURPOSE OF THIS PLAN IS FOR REVIEW BY THE ESSEX HEALTH DEPARTMENT TO DEMONSTRATE THE PRESERVATION OF A BIODO SEPTIC REPAIR AREA AS REQUIRED BY SECTION 19-13-BIODO (c) OF THE CONNECTICUT PUBLIC HEALTH CODE FOR A "BUILDING CONVERSION."
- THIS PROPERTY IS SERVED BY PUBLIC WATER AND A SUBSURFACE SEWAGE DISPOSAL SYSTEM. THERE ARE NO KNOWN WELLS WITHIN 75 FEET OF THE SEPTIC PRESERVATION AREA.
- ALL ELEVATIONS SHOWN HEREON ARE REFERENCED TO NAVD-88 DATUM PER REF. MAP A.

### **CONSTRUCTION NOTES:**

- THE LOCATIONS OF UNDERGOUND UTILITIES SHOWN HEREON ARE BASED ON FIELD LOCATIONS AND INFORMATION PROMOBED BY OTHERS THER ACTUAL LOCATION MAY WARY FROM THOSE MOICATED AND ALL UNDERGOUND UTILITIES MAY NOT BE SHOWN. THE CONTRACTOR SHALL CONTACT "CALL BEFORE YOU DIE" AT 800-922-4455 TO MARK OUT ALL UNDERGOUND UTILITIES AN ANIMIMUM OF 3 BUSINESS DAYS PRIOR TO COMUNICIONE ANY CONSTRUCTION ACTIVITY. CONTRACTOR SHALL VERIFY ALL LOCATIONS, DIMENSIONS AND ELEVATIONS OF ALL UTILITIES FROM TO CONSTRUCTION THE CONTRACTOR SHALL APPLICABLE TOWN OF ESSEX STANDARDS AND REQUILATIONS.
- TOWN OF ESSEX STANDARDS AND REGULATIONS.

  ALL UTILITIES SHALL BE INSTALLED IN CONFORMANCE WITH THE REQUIREMENTS AND SPECIPICATIONS OF THE TOWN OF ESSEX AND THE CUSTOOML UTILITY COMPANIES ALL UTILITY TRENCHES SHALL BE NO LESS THAN 5 FEET FROM THE SEPTIC SYSTEM AND NOT BACKFILLED WITH FREE DRAWING MATERIAL ALL WATER LINES SHALL BE A WINNIMM OF 10 FEET FROM ANY PART OF THE SEPTIC SYSTEM OR SLEEVED ACCORDINGLY.

  ALL PROPERTY LINES SHALL BE VERIFIED IN THE FIELD. NO PRIVATE PROPERTY SHALL BE DISTURBED UNILESS PROPER RIGHTS ARE OBTAINED PRIOR TO CONSTRUCTION.

  THE CONTRACTOR SHALL OBTAIN ALL REQUIRED PERMITS PROPE TO CONSTRUCTION. THE COMPANION SHALL CONFIRM AND ABIDE BY ANY APPLICABLE "NO HAMMER" TIME PERIODS OF THE COMMUNITY.

- THE CONTRACTOR SHALL OBTAIN, REVIEW AND ADHERE TO ALL REQUIREMENTS AND ANY CONDITIONS OF APPROVAL OF THE TOWN OF ESSEX.
- THE CONTRACTOR SHALL INKE ALL NECESSARY MEASURES TO PROTECT ADJACENT PROPERTIES FROM ANY EROSION AND/OR SEDIMENTATION.
- ALL MECHANICALS AND STRUCTURAL MEMBERS SHALL BE INSTALLED AT OR ABOVE ELEVATION 11.0 (NAVD-8B) IN ACCORDANCE WITH FEMA FLOOD REGULATIONS AND LOCAL FLOOD ORDINANCES.
- ALL EXISING DRAINAGE PATTERNS SHALL BE MAINTAINED. THE CONTRACTOR SHALL GRADE THE PROPERTY IN SUCH A MAINTER TO MAINTAIN EXISTING LOCAL DRAINAGE PATTERNS AND TO PREVENT EXCESS RUNOFT AND/OR PONDING ON ADJACENT PROPERTIES BOTH DURING AND AFTER CONSTRUCTION.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO FIELD LOCATE AND TAKE ALL NECESSARY PRECAUTIONARY MEASURES TO PROTECT THE EXISTING LEACHING SYSTEM AND SEPTIC TANK.

# CONCEPTUAL B1000 LEACHING SYSTEM AREA COMPUTATIONS

EXISTING 3-BEDROOM YEAR-ROUND DWELLING AND TWO 1-BEDROOM OUTBUILDINGS (5-BEDROOMS TOTAL) USE 25.0 LF. OF GEOMATRIX GST6236

### E.LA. COMPUTATIONS:

DESIGN PERCOLATION RATE = 1.0 - 10.0 MIN./INCH ELLA. REQUIRED = 660 S.F. ELA. PROVIDED = 26 L.F. x 26.2 S.F./L.F. = 681.2 S.F. ELA. PROVIDED > E.L.A. REQUIRED -- O.K.

### M.L.S.S. COMPUTATIONS:

NO M LS.S. REQUIRED

NCREASE IN DESIGN FROM 4 TO 5 BEDROOMS, LESS THAN A 50% INCREASE

Purpose	Indigo Survey - Revised with: Existing & Proposed Conditions				
Applican	t: Carter & Carla Gov	Carter & Carla Gowrie			
Location		x, CT 06426			
Date:	May 27, 2023	Datum: NAVD-88			
Prepared by: Rob Shickel		Scale: As Shown			
Revisions: 5-27-2023		Plan Sheet 1 of 5			

### DEEP TEST PIT DATA

DELL 1
DATE: 3/10/21
WITNESSED BY: JOE WREN, P.E. (INDIGO)
DON MITCHELL, R.S. (MPH)
BRUCE LAWRENCE, BOGAERT CONSTRUCTION
RECORDED BY: ROBERT RUSSO, C.P.S.S. (CLA)
EXCAVATED BY: ANDREW DOWNIE AND GABE

TP #2

0-21" FILL (SANDY) 21"-28" BLACK LOAWY SAND

64"-88" RED BROWN SILT

28"-45" RED BROWN FINE TO MEDIUM SAND

45"-64" YELLOW BROWN MEDIUM TO COARSE AND WITH GRAVEL

NO MOTTLING NO GROUNDMATER LEDGE © 85° ENCOUNTERED END OF INFILTRATOR SYSTEM ON HOUSE SIDE OF HOLE

PET PETERSNOT MAT A

BENCHMARK VAG NAIL SET IN CURB ELEV. = 16.39° DATUW: NAVD 1988

FOSSIB LIGORATION ...

0-28" FILL (SANDY) 28"-44" BLACK LOAMY SAND 44"-69" RED BROWN FINE TO MEDIUM SAND 69"-89" YELLOW BROWN FINE TO MEDIUM SAND

89"-97" COARSE SAND AND GRAVEL NO MOTTLING GROUNDWATER 9 86" NO LEDGE

CATCH BASIN = FLATTOP TOP (I) GRAIL 14.05° NV IN 15" R.C.P. = 10.7° V OUT 15" R.C.P. = 10.6° SUMP 8.7°

37"

Δ = 26' 48'58"· CB = N04'30'10''W

 $R = 165.00^{\circ}$ 

CL = 76.52

PROPOSED B1006 SEPTIK,
PRESERVATION AREA
(SEE COMPUTATIONS FOIDETAILS.)

DATE: 3/10/2021 DEPTH: 39\*± 25 1/4 28 1/4 30 1/4 31 7/8 33 34 3/8 35 1/2 0.7 1.0 1.2 1.8 1.5 1.8 4.0 2 1 5/8 1 1/8 1 3/8 1 1/8 1/2 36 DRY PERCOLATION RATE: 1.0 - 10.0 MIN./INCH

PERCOLATION TEST DATA CONDUCTED BY: DON MITCHELL, R.S. (MPH

--- 10 ----619 (P) 0

+ +

PROPOSED RAMP

PLAN APPROVED ESSEX HEALTH DEPARTMENT

ESSEX HEALTH DEPARTMENT
DATE: 910 1/20 21
SANITARIAN Low Annual
COMMENTS Conduct Sourcey Experies

to the ve promoted is a the buttered ong

Complete to HIT I con !!

15" R.C.P

152.90

LEGEND EXISTING PROPERTY/STREET LINE FASEMENT LINE FLOOD ZONE EXISTING CABLE LINE EXISTING UNDERGROUND ELECTRIC EXISTING BUILDING TO REMAIN EXISTING CONTOUR EXISTING SPOT GRADE TEST PIT LOCATION PERC TEST LOCATION FXISTING WATER VALVE CONCRETE MONUMENT IRON PIPE/PIN

LANDSCAPED AREA

DEEP PERMITTED DOLL

PROPERTY LINE RUNS ALONG W.H.W.
(ELEY. = 1.4')
A DISTANCE OF 72'±

SCALE IN FEET

- 1

a SEPTIC PLAN

R BOGAERT CONSTRUCTION

MAP 31 BLOCK 20 LOT 5 B100a

PREPARED FOR E

MAY 24, 2021 SCALE: 1"=20" DRAWN BY: CHECKED BY:

DWG. NO. B100a-1 SHEET NO.:

1 of 1 ов. No.: 2021-705

### BUILDING LIGHND:

A XISTING 3-BEDROOM HOUSE TO REMAIN (UNCHANGED)

3.34' (FC)

14.7 9

. . . . . . .

BOX WHE

EXISTING INF. TRATOR -LEATHING SYSTEM FER REF CI

PROPOSED 4" SCH. 40 PVC ASTM D1785 BUILDING SEWER ICE—WYF PIPE (WITH CLEANOUT AS NEEDED WITHIN 6" OF GRADE) TO CONNECT TO EXISTING SEPTIC TANK

(B) XISTING 1 BEDROOM STUDIO OUTBUILDING WITH FULL BATH AND STUDIO (SOUTH) (UNCHANGED)

EXISTING BUILDING

SLATE WALK

rrright

ROW OF

SLATE WALK

EXISTING B

GRANITE BORDEP

XISTING OUTBULDING (NORTH) EXISTING GARAGE TO BE CONVERTED TO PROPOSED CARAGE WITH A FULL BATHROOM AND OFFICE NO CHANGE IN BUILDING TOOTPRINT

N 73'13'19" E

AND DECK

- EXISTING CONCRETE PAVER

Sono X (Inside

A

X12.4

, . . . . . . . . . . . . . . . . . .

N/F TOWN OF ESSEX BUSHNELL STREET

NO KNOWN DESIGN CONFLICTS


WELL

N/F ROBERT J. GALIETTE & SANDRA H. GALIETTE

#3 TEAL LANE

NO KNOWN DESIGN CONFLICTS

-20' WIDE PEDESTRIAN & DRAINAGE EASEMENT PER REFERENCE MAP A



### NOTES

- 1. THIS SURVEY AND MAP HAS BEEN PREPARED PURSUANT TO THE REGULATIONS OF CONNECTICUT STATE AGENCIES SECTIONS 20-300B-1 THROUGH 20-300B-20 AND THE "STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT" AS ADDPTED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC. ON SEPTEMBER 26, 1996. IT IS A GENERAL LOCATION SURVEY BASED ON A DEPENDENT RESURVEY CONFORMING TO HORIZONTAL ACCURACY CLASS A-2 AND IS INTENDED TO SHOW THE PROPERTY BOUNDARY, AND EXISTING CONDITIONS. THIS MAP WAS PREPARED FROM RECORD RESEARCH, OTHER MAPS, LIMITED FIELD MEASUREMENTS AND OTHER SOURCES. IT IS NOT TO BE CONSTRUED AS A PROPERTY/BOUNDARY OR LIMITED PROPERTY/BOUNDARY SURVEYS MAP. PROPERTY/BOUNDARY SURVEY AND IS SUBJECT TO SUCH FACTS AS SAIS SURVEYS MAY
- 2. ELEVATIONS ARE REFERENCED TO NAVO 1988 DATUM.
- 3. REFERENCE DEED FOR SUBJECT PROPERTY IS RECORDED IN VOLUME 328 PAGE 99 IN THE TOWN OF ESSEX LAND RECORDS.
- 4. WWETLAND DELINEATION BY RICHARD SNARSKI-CERTIFIED SOIL SCIENTIST.

### REFERENCE MAPS

- A. TOWN OF ESSEX TAX ASSESSOR'S MAP 31 LOT 020-05.
- B. FINAL SUBDIVISION PLAN-ESSEX LANDING SUBDIVISION-PROPERTY OF LANDEY, INC-NORTH MAIN STREET & BUSHNELL STREET-ESSEX, CT-SCALE: 1°=40° DATED: SEPT. 1983 BY DICESARE-BENTLEY ENGINEERS.

	LEGEND
Oler	IRON PIPE RECOVERED
OFF	IRON PIN RECOVERED
O HE	MERESTONE RECOVERED
O CAE	CONNECTICUT HIGHWAY MONUMENT RECOVERED
@25	DRILL HOLE RECOVERED
8	IRON PIN TO BE SET
0	DRILL HOLE TO BE SET
0	MONUMENT TO BE SET
[300]	EXISTING CONTOUR PROPOSED CONTOUR
E	BUILDING LINE
w	WATER LINE
——u—	UTILITIES (PHONE, ELEC., CABLE TY, ETC.)
er.	UTILITY POLE
000000	STONE WALL
	WIRE FENCE
um	TREE LINE / LIMITS OF CLEARING
140	SPOT ELEVATION

THIS MAP AND SURVEY CONFORMS TO A CLASS A-2 SURVEY AND TO THE BEST OF MY KNOWLEDGE AND BELIEF IS SUBSTANTIALLY COPRECT AS NOTED HEREON (SEE NOTE 1).

ROBERT C SIMON!, L.S. LS No. 17254

THESE PLANE APE THE SOLE		DRAW	BY: RCS		DATE:	SEPTEMBER	2019	
PROPERTY OF ROBERT C. SINON, L.S. AND HAVE BEEN PERPARED SOLELY FOR THIS OWNER ON THIS SITE, ANY REPROJECTION OF THESE PLANS WITHOUT WRITTEN								
PERMISSION FROM ROBERT C. SWON, L.S. MAY BE AM INFRINGEMENT OF THE FEDERAL SOPYHIGHT ACT.								
Sometime to the sound of the so	NO.	DATE		DESCRI	PT.ON			BY
				REVISIONS				

Datum: NAVD 88

Scale: As Shown

Plan Sheet 2 of 5

Purpose: Plan View: Snarski Survey with Proposed Conditions

Applicant: Carter & Carla Gowrie

Location: 1 Teal Lane, Essex, CT May 27, 2023


Prepared by: Rob Shickel

Revisions: 5-27-2023

### ROBERT C. SIMONI LICENSED LAND SURVEYOR

44 INGHAM HILL ROAD-OLD SAYBROOK, CT 06475 TEL. 860-304-6920 FAX 860-739-0693







GENERAL LOCATION SURVEY LAND OF GOWRIE OFFICE LLC

SHEET NUMBER OF

LOCATION: I TEAL LANE - ESSEX, CONNECTICUT

BS-1TEALLANE.dwg





BLLYRION YIEW SCHELL - LOID

Plan Sheet 4 of 5 Scale: As Shown Purpose: Proposed Raised Wood Ramp: Elevation View
Applicant: Carter & Carla Gowrie
Location: 1 Teal Lane, Essex, CT Sca Datum: NAVD-88 Revisions: Prepared by: Rob Shickel 5-27-2023 Location: Date:

Permitting Notes:
These plans are for permitting purposes only. They are not intended as, nor to be construed as, final design plans.

All final design plans, and/or construction drawings, are and shall remain the responsibility of the site owner.

Project Notes:

1. Proposed PTW timber of 8"x8" posts and 3"x10" framing
2. ThurFlow decking
3. Utilities of electric power, water and low watt down lights (See specification sheet as Plan Sheet 3 of 3 attached hereto)
4. Minimal cutting of the indigenous Phragmites
5. Public Egress of 5" at MHW line under dock
6. The dock was permitted under DEEP license #2021-12488

 Datum:
 NAVD-88


 CJL
 =
 2.8'

 MHW
 =
 1.5'

 MLW
 =
 1.7'

### Decklyte (CUL20) Specification Sheet

MFG: Hadco Location: Project Name: Catalog No.: Qty: Fixture Type:



**Ordering Guide** 

Example: CUL20

Product Code CUL20 Decklyte

### **Specifications**

### Housing:

Spun solid copper. Copper back plate.

### Finish:

Natural Copper is bright polished, untreated copper. Color will age naturally to a fine dark copper patina.

Optical Assembly: Reflective white powdercoat on underside of roof.

### Lamping:

12W maximum wedge base T3-1/4 lamp. 10W wedge base T3 1/4 (xenon) lamp is included with fixture. Xenon lamp life is approximately 10,000 hours. Lamp does not need to be protected and can be directly handled.

### Electrical Assembly:

Wedge base socket type (T3-1/4 or T5). 12 volt fixture is pre-wired with 6-ft, pigtail of 18-2 AWG, 105° C, SPT-1 wire. Low voltage quick connector, catalog #LVC3 included for easy hook-up to the low voltage supply cable, not included. 12 Volt system requires remote transformer, not included.

Installation & Mounting: Two (2) Stainless #8 wood screws (supplied) via key slots.

### Warranty:

Ten-year limited warranty.

### Certification:

UL Listed to U.S. safety standards for wet locations. cUL Listed to Canadian safety standards for wet locations. Manufactured to ISO 9001:2000 Standards.

### Height:

2 9/16" (65mm)

### Width: 4" (102mm)

Depth:

### 1 3/4" (52mm)

Max. Weight: 0.30 lb

Purpose:	Specification Sheet: Low Watt Down Light (Typ)				
Applicant:	Carter & Carla Gowrie				
Location:	1 Teal Lane, Essex	c, CT			
Date:	May 27, 2023	Datum: None			
Prepared by: Rob Shickel		Scale: None			
Revisions:	5-27-2023	Plan Sheet 5 of 5			

ISO 9001:2000 Registered

Note: Hadco reserves the right to modify the above details to reflect changes in the cost of materials and/or production and/or design without prior notice. 100 Craftway Littlestown, PA 17340 tel(717) 359-7131 fax (717) 359-9289 www.hadco.com Copyright 2008 Philips

HADCO is a Philips group brand

